


CONFORMS TO RIVERSIDE COUNTY STANDARD NO. 817



NOTES:

1. LOCATION AND DEPTH OF EXISTING AND PROPOSED UTILITIES MUST BE PROVIDED BY THE SUBDIVIDER AND SHOWN ON ANY PLANS SUBMITTED TO THE ROAD DEPARTMENT FOR APPROVAL.
2. CHANGES MAY BE PERMITTED BY EVMWD IN CASES OF CONFLICTING FACILITIES.
3. FOR COMMERCIAL SIDEWALKS, THE FIRE HYDRANT SHALL BE PLACED 18" BEHIND SIDEWALK. HYDRANTS SHALL NOT BE LOCATED IN SIDEWALKS.
4. MATERIALS SHALL BE SELECTED FROM THE APPROVED MATERIALS LIST.

ITEM	DESCRIPTION
①	FIRE HYDRANT, LOCATE IN ACCORDANCE WITH EVMWD STANDARDS
②	JOINT UTILITIES TRENCH
③	VALVE BOX
④	STREET LIGHTING CONDUIT IN TRENCH
⑤	STREET LIGHT BASE
⑥	DOMESTIC WATER MAIN
⑦	RECLAIMED WATER MAIN
⑧	STORM DRAIN
⑨	SEWER MAIN
⑩	GAS MAIN

REVISION	BY	APPR	DATE

PARAG KALARIA R.C.E. 83927 DATE

NORMAL UTILITY LOCATION

STD. DWG. NO.  
W-1