

Sewer Lateral Material Selections

Material selection (Select one manufacture for each Item)		
Item	Description	Manufacture
*Pipe	4" PVC SDR 35, ASTM D 3034	<input type="checkbox"/> Vinyltech <input type="checkbox"/> Diamond Plastic Corp. <input type="checkbox"/> North American Pipe/ Westlake
*Bend and Wye Fitting	4" Wye and Bend Fittings	<input type="checkbox"/> Certainteed <input type="checkbox"/> GPK <input type="checkbox"/> North American Pipe/ Westlake
*Saddle	4" Saddle	<input type="checkbox"/> Certainteed <input type="checkbox"/> Inserta Tee (10" and Above) <input type="checkbox"/> North American Pipe/ Westlake <input type="checkbox"/> GPK
*Cleanout	Traffic and Non-Traffic Rated	<input type="checkbox"/> JR Concrete <input type="checkbox"/> Applied Engineering
*Rock	¾" Class 2 Crushed Aggregate Base (No. 67)	All Suppliers are Accepted
*Warning Tape	6" Wide Tape, Color Green with Continuous Warning "CAUTION: SEWER LINE BURIED BELOW"	<input type="checkbox"/> Calpico, Type 1 <input type="checkbox"/> Line-Tec, Type B <input type="checkbox"/> Thor, Elast Tec <input type="checkbox"/> Northtown <input type="checkbox"/> Dot Sales
Backwater Valve	4" Extendable ABS Valve (Required if the house slab elevation is lower than the upstream manhole rim elevation)	<input type="checkbox"/> Clean Check, Inc. <input type="checkbox"/> Mainline Backflow Products, Inc.